



NO.	Pump Type	DISCH. DIA	CAP	Head	Power	Rotation speed	Eff.	Biggest particles discontinuous pass through
		(mm)	(m ³ /h)	(m)	(kw)	(r/min)	(%)	(mm)
1	ZJQB20-15-3	65	20	15	3	1460	45	12
2	ZJQB25-20-4	65	25	20	4	1460	45	12
3	ZJQB45-15-5.5	80	45	15	5.5	1460	45	13
4	ZJQB30-30-7.5	80	24	31	7.5	1460	43	13
			30	30				
			36	29				
5	ZJQB50-21-11	100	35	22	11	1460	48	21
			50	21				
			60	20				
6	ZJQB50-26-11	80	35	29	11	1460	48	13
			50	26				
			60	24				
7	ZJQB100-18-11	100	70	20	11	1460	55	21
			100	18				
			120	15				
8	ZJQB25-40-15	80	18	41	15	1460	35	13
			25	40				
			30	39				
9	ZJQB50-35-15	100	35	38	15	1460	47	13
			50	35				
			60	32				
10	ZJQB60-30-15	100	42	33	15	1460	50	13
			60	30				
			72	27				
11	ZJQB75-25-15	100	52	28	15	1460	51	13
			75	25				
			90	22				
12	ZJQB150-15-15	150	105	17	15	1460	56	21
			150	15				
			180	13				
13	ZJQB75-35-22	100	52	38	22	980	48	13
			75	35				
			90	32				



NO.	Pump Type	DISCH. DIA	CAP	Head	Power	Rotation speed	Eff.	Biggest particles discontinuous pass through
		(mm)	(m ³ /h)	(m)	(kw)	(r/min)	(%)	(mm)
14	ZJQB75-45-22	100	52	48	22	980	48	13
			75	45				
			90	42				
15	ZJQB100-25-22	100	70	27	22	980	55	14
			100	25				
			120	22				
16	ZJQB150-22-22	150	105	25	22	980	60	32
			150	22				
			180	20				
17	ZJQB200-15-22	150	140	17	22	980	60	45
			200	15				
			240	13.5				
18	ZJQB100-35-30	100	70	38	30	980	50	21
			100	35				
			120	31				
19	ZJQB150-30-30	150	105	33	30	980	50	21
			150	30				
			180	26				
20	ZJQB200-25-30	150	140	28	30	980	51	25
			200	25				
			240	21				
21	ZJQB250-20-30	150	175	23	30	980	60	25
			250	20				
			300	18				
22	ZJQB100-45-37	100	70	48	37	980	43	21
			100	45				
			120	42				
23	ZJQB100-50-37	100	70	53	37	980	43	13
			100	50				
			120	47				
24	ZJQB300-20-37	150	240	22	37	980	58	28
			300	20				
			360	17				



NO.	Pump Type	DISCH. DIA	CAP	Head	Power	Rotation speed	Eff.	Biggest particles discontinuous pass through
		(mm)	(m ³ /h)	(m)	(kw)	(r/min)	(%)	(mm)
25	ZJQB100-60-45	100	70	64	45	980	43	13
			100	60				
			120	55				
26	ZJQB200-30-45	150	140	33	45	980	53	25
			200	30				
			240	27				
27	ZJQB150-45-55	150	105	47	55	980	50	21
			150	45				
			180	42				
28	ZJQB250-35-55	150	175	38	55	980	53	36
			250	35				
			300	33				
29	ZJQB300-30-55	150	210	34	55	980	55	36
			300	30				
			360	26				
30	ZJQB600-15-55	250	420	18	55	980	62	32
			600	15				
			720	11				
31	ZJQB150-55-75	150	105	58	75	980	48	15
			150	55				
			180	51				
32	ZJQB150-60-75	150	105	63	75	980	48	15
			150	60				
			180	56				
33	ZJQB200-45-75	150	140	48	75	980	52	18
			200	45				
			240	41				
34	ZJQB200-55-75	150	140	58	75	980	50	18
			200	55				
			240	51				
35	ZJQB350-35-75	200	245	38	75	980	60	29
			350	35				
			420	31				



NO.	Pump Type	DISCH. DIA	CAP	Head	Power	Rotation speed	Eff.	Biggest particles discontinuous pass through
		(mm)	(m ³ /h)	(m)	(kw)	(r/min)	(%)	(mm)
36	ZJQB400-25-75	200	280	29	75	980	62	29
			400	25				
			480	23				
37	ZJQB200-60-90	150	140	63	90	980	50	14
			200	60				
			240	57				
38	ZJQB250-55-90	150	170	58	90	980	50	14
			250	55				
			300	52				
39	ZJQB300-45-90	150	210	50	90	980	52	25
			300	45				
			360	39				
40	ZJQB300-50-90	150	210	54	90	980	52	25
			300	50				
			360	45				
41	ZJQB400-40-90	200	280	44	90	980	53	25
			400	40				
			480	36				
42	ZJQB500-25-90	200	350	30	90	980	65	25
			500	25				
			600	20				
43	ZJQB450-30-90	200	315	34	90	980	64	25
			450	30				
			540	25				
44	ZJQB250-60-110	150	175	64	110	980	54	18
			250	60				
			300	55				
45	ZJQB300-60-110	150	210	64	110	980	55	18
			300	60				
			360	56				
46	ZJQB400-50-110	200	280	54	110	980	56	28
			400	50				
			480	45				
47	ZJQB500-35-110	200	350	38	110	980	61	32
			500	35				
			600	31				



NO.	Pump Type	DISCH. DIA	CAP	Head	Power	Rotation speed	Eff.	Biggest particles discontinuous pass through
		(mm)	(m ³ /h)	(m)	(kw)	(r/min)	(%)	(mm)
48	ZJQB600-30-110	250	420	33	110	980	64	35
			600	30				
			720	26				
49	ZJQB800-25-110	300	560	28	110	980	66	50
			800	25				
			960	21				
50	ZJQB1000-18-110	300	700	22	110	980	68	50
			1000	18				
			1200	13				
51	ZJQB780-26-110	300	545	29	110	980	68	50
			780	26				
			935	22				
52	ZJQB400-60-132	200	280	64	132	980	68	28
			400	60				
			480	55				
53	ZJQB500-45-132	200	350	49	132	980	67	28
			500	45				
			600	42				
54	ZJQB500-55-132	200	350	59	132	980	70	28
			500	55				
			600	52				
55	ZJQB800-35-132	300	560	38	132	980	70	42
			800	35				
			960	32				
56	ZJQB1000-22-132	300	700	27	132	980	71	50
			1000	22				
			1200	17				
57	ZJQB1250-15-132	300	875	18	132	980	70	56
			1250	15				
			1500	12				
58	ZJQB600-50-160	200	420	56	160	980	65	28
			600	50				
			720	43				
59	ZJQB650-52-160	200	455	56	160	980	65	28
			650	52				
			780	44				



NO.	Pump Type	DISCH. DIA	CAP	Head	Power	Rotation speed	Eff.	Biggest particles discontinuous pass through
		(mm)	(m ³ /h)	(m)	(kw)	(r/min)	(%)	(mm)
60	ZJQB1250-25-160	350	875	28	160	980	70	56
			1250	25				
			1500	22				
61	ZJQB1000-30-160	300	700	34	160	980	70	53
			1000	30				
			1200	25				
62	ZJQB1750-15-185	350	1225	19	185	980	70	56
			1750	15				
			2100	10				
63	ZJQB600-55-200	250	420	59	200	980	62	28
			600	55				
			720	50				
64	ZJQB800-45-200	300	560	49	200	980	66	42
			800	45				
			960	40				
65	ZJQB1000-40-200	300	700	45	200	980	70	42
			1000	40				
			1200	35				
66	ZJQB1500-20-200	350	1050	24	200	980	71	56
			1500	20				
			1800	15				
67	ZJQB2000-20-200	400	1400	25	200	980	72	56
			2000	26				
			2400	14				
68	ZJQB800-55-220	300	560	60	220	980	66	38
			800	55				
			960	50				
69	ZJQB1250-35-220	350	875	39	220	980	70	45
			1250	35				
			1500	30				
70	ZJQB1000-50-250	300	700	55	250	980	68	45
			1000	50				
			1200	45				
71	ZJQB1500-35-250	350	1050	40	250	980	72	50
			1500	35				
			1800	30				



NO.	Pump Type	DISCH. DIA	CAP	Head	Power	Rotation speed	Eff.	Biggest particles discontinuous pass through
		(mm)	(m ³ /h)	(m)	(kw)	(r/min)	(%)	(mm)
72	ZJQB1750-30-250	350	1225	34	250	980	70	55
			1750	30				
			2100	25				
73	ZJQB1500-40-280	350	1050	45	280	980	70	50
			1500	40				
			1800	35				
74	ZJQB1750-40-315	350	1225	45	315	980	70	55
			1750	40				
			2100	35				
75	ZJQB2000-35-315	400	1400	40	315	980	72	60
			2000	35				
			2400	30				